Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	5	threadlike near4 structure same imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:07
S11	4	((extract\$4 or obtain\$4 or pull\$3 or gather\$3) near3 (point\$3 or featur\$3)) same ((threadlike or thread\$like) near struct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:45
S14	1	(((threadlike or thread\$like) near struct\$4)) same (parent\$3 or child\$5 or ancest\$3 or father\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15
S11 4	8	threadlike near4 structure same imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:10
S11 5	18	(threadlike thread\$like) near4 structure same imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:16
S11 6	363866	(mimimal least best short) same (path node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:13
S11 7	22229	S116 same image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/01/06 15:13
S11 8	115260	(mimimal best short) same (path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15
S11 9	5761	S118 same image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15

S12 0	1	S119 same (father\$2 children\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:14
S12 1	13	S119 same (parent\$3 or child\$5 or ancest\$3 or father\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15
S12 2	38309	(mimimal best short) near6 (path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15
S12 3	1516	S122 same image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15
S12 4		S123 same (parent\$3 or child\$5 or ancest\$3 or father\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 15:15
S12 5	5.	S123 same ((extract\$4 or obtain\$4 or pull\$3 or gather\$3) near3 (point\$3 or featur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/01/06 15:46
S12 6	248	S123 same (point\$3 featur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:45
S12 7	15	S126 same (predetermin\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:38
S12 8	7	S126 same (vessel\$3 \$3medical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:45
S12 9	1608	600/407.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:15

S13 0	422	128/920.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:15
S13 1	2	600/407.ccls. and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2005/01/06 16:45
S13 2	1	128/920.ccls. and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:45
S13	0	("2001/0055413").URPN.	USPAT	OR	ON	2005/01/06 16:18
S13 4	5	382/128.ccls. and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:46
S13 5	7	S126 same (grid\$2 mesh\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:38
S13	12	("4866629").URPN.	USPAT	OR	ON	2005/01/06 16:40
S13 7	5	("4596037" "4680627" "4720870" "4754329" "4757550").PN.	US-PGPUB; USPAT; USOCR	ÖR	ON	2005/01/06 16:44
S13 8	266	S123 same (point\$3 featur\$3 node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:46
S13 9	7	\$138 same (vessel\$3 \$3medical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:45
S14 0	2	600/407.ccls. and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:45

S14 1		128/920.ccls. and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:45
S14 2	5	382/128.ccls. and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 16:46
S14 3	26	("5432712").URPN.	USPAT	OR	ON	2005/01/10 15:32

Global Minimum for Active Contour Models: A Minimal Path Approach (1997) (Make Corrections) (31 citations) Laurent Cohen, Ron Kimmel

View or download:
ceremade.dauphine.fr/~cohe...TR96.ps.gz
Cached: PS.gz PDF Image_Update_Help

CiteSeer Home/Search Bookmark Context Related

DBLP Metadata

From: ceremade.dauphine.fr/...recentpub (more)
(Enter author homepages)

Initialize snakes into a global minimum by using a very optimised algorithm Rate this article: 1 2 3 4 5 (best)

Comment on this article

Abstract: A new boundary detection approach for shape modeling is presented. It detects the global minimum of an active contour model's energy between two points. Initialization is made easier and the curve cannot be trapped at a local minimum by spurious edges. We modify the "snake" energy by including the internal regularization term in the external potential term. Our method is based on the interpretation of the snake as a path of minimal length in a Riemannian metric, or as a path of minimal cost. We ... (Update)

Cited by: More

Fast Voronoi Diagrams and Offsets - On Triangulated Surfaces (Correct)
Geodesic Remeshing Using Front Propagation - Gabriel Peyr Laurent (Correct)
An Optimal Time Algorithm for Shape from Shading - Kimmel And Sethian (2000) (Correct)

Similar documents (at the sentence level): More

59.0%: Global Minimum for Active Contour Models: A Minimal Path Approach - Cohen, Kimmel (1997) (Correct)

14.8%: Edge Integration Using Minimal Geodesics - Cohen, Kimmel (1995) (Correct)

13.9%: .4 Chapter Summary - Geodesic Formulation (Correct)

Active bibliography (related documents): More All

- 0.5: Geodesic Active Contours Caselles, Kimmel, Sapiro (1995) (Correct)
- 0.4: Affine Invariant Edge Maps and Active Contours Olver, Sapiro, Tannenbaum (1995) (Correct)
- 0.4: Affine Invariant Detection: Edge Maps, Anisotropic.. Olver, Sapiro.. (Correct)

Similar documents based on text: More All

- 0.5: Expert Constrained Clustering: a Symbolic Approach Rossi, Vautrain (2000) (Correct)
- 0.4: Minimal Paths in 3D Images and Application to Virtual Endoscopy Deschamps, Cohen (Correct)
- 0.3: The Multiconfiguration Methods in Quantum Chemistry Ceremade (Correct)

Related documents from co-citation: More All

- 18: Snakes: active contour models (context) Kass, Witkin et al. 1987
- 18: Geodesic active contours Caselles, Kimmel et al. 1995
- 12: Level Set Methods: Evolving Interfaces in Geometry (context) Sethian 1996

BibTeX entry: (Update)

Cohen, L.D., and Kimmel, R., 1997. Global Minimum for Active Contour Models: A Minimal Path Approach. International Journal of Computer Vision. http://citeseer.ist.psu.edu/article/cohen97global.html <u>More</u>

```
@misc{ cohen97global,
  author = "L. Cohen and R. Kimmel",
  title = "Global Minimum for Active Contour Models : A Minimal Path Approach",
  text = "Cohen, L.D., and Kimmel, R., 1997. Global Minimum for Active Contour Model
    : A Minimal Path Approach. International Journal of Computer Vision.",
  year = "1997",
  url = "citeseer.ist.psu.edu/article/cohen97global.html" }
```

Citations (may not include all citations):


1267 Snakes: Active contour models (context) - Kass, Witkin et al. - 1988 895 A computational approach to edge detection - Canny - 1986

- 278 Geodesic active contours Caselles, Kimmel et al. 1995
- 196 Shape modeling with front propagation: A level set approach Malladi, Sethian et al. 1995
- 184 User's guide to viscosity solutions of second order partial .. (context) Crandall, Ishii et al. 1992
- 168 Finite element methods for active contour models and balloon.. Cohen, Cohen 1993
- 133 Using dynamic programming for solving variational problems i.. (context) Amini, Weymouth et al. 1990
- 123 A level set approach for computing solutions to incompressib.. (context) Sussman, Smereka et al. 1994
- 112 A fast level set method for propagating interfaces Adalsteinsson, Sethian 1995
- 98 Distance transformations in arbitrary dimensions (context) Borgefors 1984
- 87 Surface modeling with oriented particle systems Szeliski, Tonnesen 1992
- 83 A viscosity solutions approach to shape-from-shading (context) Rouy, Tourin 1992
- 81 Fronts propagation with curvature dependent speed: Algorithm.. (context) Osher, Sethian 1988
- 74 A fast marching level set method for monotonically advancing.. Sethian 1996
- 72 Gradient flows and geometric active contour models Kichenassamy, Kumar et al. 1995
- 59 A geometric model for active contours (context) Caselles, Catt'e et al. 1993
- 49 Detection of roads and linear structures in low-resolution a.. (context) Fischler, Tenenbaum et al. 1981
- 48 Structural saliency: The detection of globally salient struc.. Shaashua, Ullman 1988
- 47 An active testing model for tracking roads in satellite imag.. Geman, Jedynak 1993
- 40 A review of recent numerical algorithms for hypersurfaces mo.. (context) Sethian 1989
- 37 Evolutionary fronts for topology-independent shape modeling .. (context) Malladi, Sethian et al. 1994
- 34 Finding shortest paths on surfaces using level sets propagat.. (context) Kimmel, Amir et al. 1995
- 31 the optimal detection of curves in noisy pictures (context) Montanari 1971
- 31 Euclidean distance mapping (context) Danielsson 1980
- 27 Algorithms for implicit deformable models Whitaker 1995
- 27 and Image Processing: Image Understanding (context) Cohen, contour et al. 1991
- 25 Modern Geometry Methods and Applications (context) Dubrovin, Fomenko et al. 1984
- 24 Image segmentation by reaction-diffusion bubbles Tek, Kimia 1995
- 20 An optimal control formulation and related numerical methods.. (context) Dupuis, Oliensis 1994
- 20 Machine Vision and Applications (context) Fua, Leclerc et al. 1990
- 19 Vector-valued active contours (context) Sapiro 1996
- 19 Auxiliary variables and two-step iterative algorithms in com.. Cohen 1996
- 17 Medical image segmentation using topologically adaptable sna.. McInerney, Terzopoulos 1995
- 17 Minimal surfaces: a three dimensional segmentation approach Caselles, Kimmel et al. 1995
- 16 Estimating shortest paths and minimal distances on digitized.. (context) Kiryati, Sz'ekely 1993
- 14 Recovery of shapes by evolution of zero-crossings (context) Shah 1995
- 14 On matching deformable models to images: Direct and iterativ.. (context) Terzopoulos 1987
- 13 Fast marching method for computing solutions to static Hamil.. (context) Adalsteinsson, Kimmel et al. 1996
- 11 Distance maps and weighted distance transforms (context) Kimmel, Kiryati et al. 1996
- 11 Adaptive active contour algorithms for extracting and mappin.. (context) Davatzikos, Prince 1993
- 10 A curvature dependent energy function for detecting lines in.. Merlet, Zerubia 1993
- 9 Planning and reasoning for autonomous vehicle control (context) Mitchell, Payton et al. 1987
- 8 and Image Processing (context) Bruckstein, from et al. 1988
- 7 Dynamic segmentation: Detecting complex topology 3D-object (context) Leitner, Cinquin 1991
- 7 Curvature and continuity control in particlebased surface mo.. (context) Szeliski, Tonnessen et al. 1993
- 6 Making snakes converge from minimal initialization Neuenschwander, Fua et al. 1994
- 6 Chamfer masks: discrete distance functions (context) Thiel, Montanvert 1992
- 6 the eikonal equation solved by gray-weighted distance transf.. (context) Verbeek, Verwer et al. 1990
- 5 Finding shortest paths on surfaces by fast global approximat.. Kimmel, Kiryati 1994
- 5 Data structures for operations on digital images (context) Rutovitz 1968

h

- 4 A unified framework for shape segmentation representation (context) Malladi, Sethian 1994
- 4 New prospects in line detection for remote sensing images Merlet, Zerubia 1994
- 3 Fast marching methods for computing distance maps and shorte.. (context) Kimmel, Sethian 1996
- 3 Global minima via dynamic programming: Energy minimizing act.. (context) Chandran, Meajima et al. 1991
- 1 Motion tracking of deformable objects based on energy minimi.. (context) Fujimura, Yokoya et al. 1992

h ceee e



The graph only includes citing articles where the year of publication is known.

Documents on the same site (http://www.ceremade.dauphine.fr/~cohen/recentpub.html): More
Tracking medical 3D data with a parametric deformable model - Bardinet, Cohen, Ayache (1995) (Correct)
Cardiac Wall Tracking Using Doppler Tissue Imaging (DTI). - Cohen, PAJANY, PELLERIN.. (1996) (Correct)
Snakes: Sur La Convexité De La Fonctionnelle.. - Cohen, GORRE (Correct)

CiteSeer.IST - Copyright Penn State and NEC

h